



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

III. *A Catalogue of Fifty Plants from Chelsea Garden, presented to the Royal Society for the Year 1723, by the Company of Apothecaries of London, pursuant to the Direction of Sir Hans Sloane, Bart. President of the College of Physicians.*

51. **A** *Butilon Carolinianum, reptans, Alceæ foliis, gilvo flore.*
52. *Ambrosia, maritima, Artemisiæ foliis inodoris, elatior.* H. L. Bat.
53. *Alysson Veronica folio.* T. Inst. 217
Bursa Pastoris major loculo oblongo. C. B. prod.
54. *Aster peregrinus, Cisti folio non crenato, flore magno, luteo.* Pluk. Phyt. T. 16. f. 2.
55. *Aster montanus, Salicis glabro folio.* C. B. 266
56. *Bidens Indica, Hieracii folio, caule alato.* T. Inst. 462.
57. *Blitum monospermum, Indicum, aculeatum,* Breyn. prod. 18.
58. *Blitum quod Amaranthus Græcus, sylvestris, angustifolius.* T. Cor. 17.
59. *Calcitrapoides pumila, supina, tenuifolia, calyce turbinato.* D. Vaillant. Act. Ac. Par.
60. *Cassia decaphylla, Orobi Pannonici foliis mucronatis.*
61. *Cataria major Vulgaris.* T. Inst. 202.
62. — *angustifolia minor.* Ib.
63. — *quæ Nepeta Pannonica major & elatior.* H. Ox. 3. 415.

64. — *Hif*

64. *Cataria Hispanica, Betonica folio angustiori, flore albo.* T. Inst. 202.
65. — *Lusitanica, erecta, Betonica folio, tuberosa radice.* T. Inst.
66. — *quæ Horminum Spicatum, Lavendulæ flore & odore.* Boccon. rar. 48.
67. — *Orientalis, Teucrij folio, Lavendulæ odore, Verticillis florum crassissimis.* T. Cor. 13.
68. *Chrysanthemum tenuifolium, flore bullato aureo.* Barrel. Ic. 450.
69. — *flore luteo, aphylo minore.* Barrel. Icon. 452
70. *Cirsium humile, ramosum, foliis integris.*
71. *Helianthemum Anglicum, vulgari simile, flore stellato.*
72. — *ampliore folio, flore roseo.* D. Sherard.
73. — *Halimi folio, angustiore, acuto. An Cistus Halimi folio, 2.* Clus. Hist. 71.
74. *Hieracium Pyrenaicum Blattariæ folio, minus hirsutum.* Schol. Bot.
75. — *Castorei odore nostras. Hieracium Cichorei, vel potius Stæbes folio, hirsutum.* Raij Cat. Cantab.
76. *Lychnis Or. longifolia, nervosa, flore purpurascente.* T. Cor. 24.
77. *Malva Sinensis, annua, erecta flore minimo. Kit-saitse dicta.*
78. — *Lusitanica, annua, flore parvo striato.*
79. — *Sylvestris, foliis sinuatis minoribus, flosculis minimis, Anglica.* Boerh. Ind. 2. 268.
80. — *Or. erecta, major, flore vix conspicuo.* D. Sherard.
81. — *Erectior, flore magno, suave rubente.* T. Cor. 2.
82. *Malva.*

82. *Malva Syriaca, Ela Haur taunal dicta. Malva*
Cretica, annua, altissima, flore parvo, ad alas
umbellato. T. Cor. Ib.
83. *Mimosa Jamaicensis Zanon.* Hist. 149.
84. *Rhagadiolus alter.* Cæsalp. 511.
85. ——— *Lampsanæ foliis.* T. Cor. 36.
86. *Salvia Or. Absinthium redolens, foliis pinnatis,*
flore carneo, elatior. D. Sherard.
87. *Scabiosa annua, Centauroides fistulosa.* H. Cath.
88. ——— *Altissima, annua, foliis Agrimonie nonnihil*
similibus H. L. B. 539.
89. *Stachys Cretica.* C. B. 236.
90. ——— *foliis sub verticillis latioribus, acumi-*
tis, flore majore.
91. *Stachys major Germanica.* C. B. 236.
92. ——— *Folio obscure virente, flore ferrugineo.*
H. Ox. 3. 382.
93. ——— *Salviæ folio, flore luteo.* D. Jussieu.
94. ——— *Elatior flore flavescente punctato.*
95. *Vicia, Craccæ majori Germanicæ similis, per*
omnia mincr Anglica.
96. *Vicia supina, latissimo folio, non serrato.* T. Inst.
397.
97. ——— ——— ——— *Serrato.* Ib.
98. *Sylvestris, incana, major, ♂ præcox, Parisien-*
sis, flore suave rubente. T. Inst. 397.
99. ——— *Sylvatica maxima.* Phyt. Britan. 129.
- *Multiflora maxima.* Raij. Syn. 189.
100. ——— *Multiflora, Cassubica, frutescens, Lentis*
siliqua. Breyn. Prod. 52.